

IN THE CLAIMS:

Claim 1 (canceled).

Claim 2 (currently amended): ~~Method as claimed in claim 1, characterized in that~~
~~as~~ Method for securing a vehicle against theft, characterized in that at least one
essential operational element of the vehicle can be switched between three operating
states A, B and C and is switched between these operating states according to the
following steps:

a. the essential operational elements are switched into a substantially
unrestricted operation-ready operating state A by an external usage authorization device
independent of the vehicle over means for transmitting the authorization data,

b. at least one essential operational element is switched into an operation-ready
operating state B by an event-dependent circuit through at least one event for a period of
time, the period of time depending on predefined operating parameters,

c. either at least one essential operational element of the vehicle is switched
after the passage of time for putting out of operation the vehicle into a non-operation-ready
or restrictively operation-ready operating state C or the essential operational elements are
switched before the passage of the time period into operation-ready operating state A
according to method step a) by means of the usage authorization device via means for
transmitting the authorization data, and

wherein, as the means for transmitting the authorization data from the usage

authorization device, a vehicle key is employed, through which the authorization data, preferably being encrypted, are transmitted to a switching device, which, in the case of authorization, switches the essential operational element of the vehicle into operating state A and that subsequently the authorization data is deleted from the vehicle key.

Claim 3 (currently amended): Method as claimed in claim [[1]] 2 **characterized in that** in the case of erroneous authorization data at least one essential operational element is switched into operating state C ~~and/or~~ or that the essential operational element(s) after passage of the time period is(are) automatically switched into operating state C ~~and/or~~ or the time period is restricted to a maximum thereby that a counter for the time period has a maximal number of digits.

Claims 4-6 (canceled).

Claim 7 (currently amended): System as claimed in claim [[5]] 15, **characterized in that** the usage authorization device (3) is formed as an external usage authorization device (3) independent of the vehicle (1).

Claim 8 (currently amended): System as claimed in claim [[5]] 15, **characterized in that** the means for detecting a switching event (20_i) is an actuation switch located in the vehicle.

Claim 9 (currently amended): System as claimed in claim [[5]] 15, **characterized in that** the means for detecting a switching event (20_i) comprises a sensor for ~~actuation~~ detecting an activation of an opening selected from the group consisting of a [[(]] car door, engine compartment hood, tank cap, and trunk [[)]) of the vehicle (1), and a locking sensor for detecting the locking state of the vehicle (1), ~~and/or~~ or includes a passenger compartment monitoring sensor ~~and/or~~ or comprises a sensor for detecting [[the]] a hoisting of the vehicle ~~and/or~~ or includes a circuit for detecting [[the]] a voltage return of an essential operational element (2_i) of the vehicle (1) ~~and/or~~ or includes a sensor for detecting the connection of diagnostic means to plug connectors of the vehicle (1) provided for this purpose ~~and/or~~ or includes a sensor for detecting [[the]] a covering-over of [[the]] a license plate of the vehicle (1) ~~and/or~~ or includes a sensor for detecting [[the]] a removal of [[the]] a license plate of the vehicle (1) ~~and/or~~ or comprises means for speech recognition ~~and/or~~ or comprises means for position determination and a data base listing areas of increased theft hazard in order to trigger a switching when driving through such areas.

Claim 10 (currently amended): System as claimed in claim [[5]] 15, **characterized in that** the means for detection is comprised of a plurality of said essential operational ~~several elements listed in the preceding claims~~ and only in combination of several events the switching to operating state B through the switching device (4) takes place.

Claim 11 (currently amended): System as claimed in claim [[5]] 15, **characterized**

in that the usage authorization device (3) comprises means for querying authorization (8, 9, 10).

Claim 12 (currently amended): System as claimed in claim ~~[[5]]~~ 11, **characterized in that** as means for the querying authorization ~~query~~ a chip card reader (8) is provided ~~and/or or~~ an apparatus for detecting biometric functions is provided ~~and/or or~~ at least one key (9, 10) with associated lock is provided.

Claim 13 (currently amended): System as claimed in ~~one of claims 5 to 12~~ claim 15, **characterized in that** the essential element (2_i) is the control apparatus of the vehicle.

Claim 14 (currently amended): System as claimed in claim ~~[[5]]~~ 15, **characterized in that** the means for transmitting the authorization data (5) includes a transmitter and a receiver for electromagnetic waves ~~and/or or~~ comprises an Internet connection of the usage authorization device (3) and of the blocking device (4), which jointly access a data base which makes available to the blocking device (4) parameters stored there by the usage authorization device (3).

Claim 15 (currently amended): ~~System as claimed in claim 5,~~ **characterized in that** System for securing a vehicle (1) against theft by means for switching (3, 4, 5) at least one essential operational element (2_i) of the vehicle (1), the means for switching (3, 4, 5) comprising at least one usage authorization device (3), at least one switching device (4)

between specific operating states of the essential operational element(s) (2_i) and means for transmitting the authorization data (5) between the usage authorization device (3) and the switching device (4), **characterized in that** the essential operational element(s) (2_i) is(are) switchable between three operating states A, B and C, operating state A permitting the essentially unrestricted operation of the essential operational element(s) (2_i), operating state B permitting the operation, restricted by operating parameter P to a time period Z, of the essential operational element(s) (2_i) and operating state C causing the blockage of the essential operational element(s) (2_i), with the switching device (4) being connected over at least one operational connection (6) with at least one means each for detecting a switching event (20_i), wherein at least one of the essential operational elements (2_i) comprises a fluid line (31, 32) in which for blocking the fluid line (31, 32) is disposed a stop valve (33), which includes a coding or is connected via an operational connection (35), with a stop valve (33) located in a fluid line (31, 32) of an essential drive power train (34), with the stop valve (33) including a coding which is verifiable by the essential operational element (2_i) over the operational connection (35), or the fluid line (31, 32) being a coolant circulation (31), an oil circulation (32) or a gasoline line.

Claim 16 (currently amended): System as claimed in claim [[5]] 15, **characterized in that** the system comprises means for transmitting the authorization data from the usage authorization device (3) to the switching device (4) from a relatively great distance ~~and/or~~ or comprises at least one communication device, one input device and one output device, which, via an adapter, transmits the authorization data to the switching device (4), ~~and/or~~

or the communication device establishes an Internet connection, or an e-mail connection or a telephone connection, ~~in particular~~ or a mobile telephone connection, between the adapter and the usage authorization device (3) ~~and/or~~ or the adapter is formed as a USB adapter, or an infrared adapter, or a Bluetooth adapter.

Claim 17 (currently amended): System as claimed in claim ~~[[5]]~~ 15, **characterized in that** the switching device (4) is integrated into an essential operational element (2_i).

Claim 18 (currently amended): ~~System as claimed in claim 5, characterized in that~~
System for securing a vehicle (1) against theft by means for switching (3, 4, 5) at least one essential operational element (2_i) of the vehicle (1), the means for switching (3, 4, 5) comprising at least one usage authorization device (3), at least one switching device (4) between specific operating states of the essential operational element(s) (2_i) and means for transmitting the authorization data (5) between the usage authorization device (3) and the switching device (4), characterized in that the essential operational element(s) (2_i) is(are) switchable between three operating states A, B and C, operating state A permitting the essentially unrestricted operation of the essential operational element(s) (2_i), operating state B permitting the operation, restricted by operating parameter P to a time period Z, of the essential operational element(s) (2_i) and operating state C causing the blockage of the essential operational element(s) (2_i), with the switching device (4) being connected over at least one operational connection (6) with at least one means each for detecting a switching event (20_i), and wherein the system includes a code key or code card ~~[[are]]~~ such

that ~~[[the]]~~ a reading-out of ~~[[the]]~~ a code contained ~~therein~~ in the code key or code card is only possible with ~~[[the]]~~ a destruction of the code key or the code card, respectively.

Claim 19 (currently amended): System as claimed in claim ~~[[5]]~~ 18, **characterized in that** the code key or code card are provided with an optic securement comparable to the securement elements known from bank notes, wherein in the code key or the code card, respectively, of the same type of vehicle ~~preferably~~ different combinations of securement elements are usable.

Claim 20 (currently amended): System as claimed in claim ~~[[5]]~~ 18, **characterized in that** the code key or the code card, respectively, includes at least two codes, ~~preferably~~ a first code for communication with the usage authorization device ~~and/or~~ and a second code for utilizing ~~[[the]]~~ an enable function, ~~and/or~~ or a key and original code card or code key, respectively, can only be used together for specific functions.